

Built-in Collection

Bompani

MADE IN ITALY

Cook, live and buy Italian

A few reasons to choose Bompani

Why to choose Bompani? We can give you a few reasons, the same that came along with us in the first 60 years of our history. When Bompani was founded, I was not even born. In Modena, with Bompani started growing the passion for manufacturing nice and durable products, designed for our kitchens. Today we carry on the same passion for the Italian lifestyle and his cuisine rich of ancient savoir-faire, excellent foods and unique traditions that vary in every single area of our country. It is true, we like cooking recipes from our tradition and innovating with the creation of new combinations and new flavours. We love experimenting rare and new cooking techniques, sometimes suggested by our favourite chefs. We grew up in the country of the big beauty. That is why we are fascinated by design and elegance of shapes, by the use of colours and materials that we often source from our memory. We love tradition from everywhere in the world, we like travelling and we sell our products in all continents. We are proud of being Italian and this makes us even more curious to find new styles, recipes and ideas from world cultures. Bompani manufactures its products in an Italian plant, based in Emilia. We have a strong network of suppliers mainly Italian and with a long tradition in our industry, which strengthen our 60 years knowhow.




We are committed to satisfy every customer's need, even the most peculiar. This is why, when necessary, our products are craft made.

Our customers trust us, because they will always find someone to answers their questions.

Read this catalogue, fall in love with our products and join the club.

Enrico Vento
President & CEO
Fox Spa di R. Bompani & C.




Oven	Built in hob	Refrigerator
4	24	48



Washing	Cooker hood
52	58

Oven










NATURALLY OVEN-DRIED FRUIT

> Use our oven as a drier: cut thin fruit slices, dip them in a water and sugar syrup and put them among two sheets of oven paper in the oven at 60°C. An original dessert.

The domestic oven plays an essential role in the purchase of our household appliances. Whether you use it simply for everyday meals or you are a real cuisine-addict, your oven must be reliable in cooking results, versatile in functions, accurate in observing declared temperatures and times.

For this reason Bompani ovens are tested by our laboratories to guarantee all this.

Our range goes from conventional ovens, to face the simplest cooking types to the multifunction ones to successfully cook meat, fish, pizza and leavened cakes.

Let's take pizza for example: who of you has ever tried to prepare at home the same pizza of a pizzeria? Pizza is only apparently simple to cook, actually it's very difficult to get at home the same result of the professional ovens. Quality of ingredients of course is essential, but also the way of cooking is very important.

In the Bompani ovens you simply have to select the dedicated function, set the highest temperature, 250°C, and position the baking tray at the lowest level. If you also have the Refractory Stone of Bompani Accessories, keeping the heat and equally releasing it, the result is sure.

For bread and leavened cakes on the other hand we recommend the conventional programme, which is standard in all Bompani ovens. It slowly bakes dough without drying it up on surface. For roasts and fish the fan-forced function is preferred, quicker and more efficient, distributing hot air at all levels and therefore allowing a simultaneous multi-level cooking of potatoes and vegetables.

But our ovens are not just performing well, they are also user-friendly for everyday usage.

And low-consuming.

They are in A Energy Efficiency Class and this guarantees that for 100 oven operations you spend as much as to buy a few cinema tickets!

In other words, it would be a pity not to buy a Bompani oven.




BO243XU/E

90cm | ITALIA





Multifunction ELECTRIC oven with 9 functions
Oven height 60cm
Low energy consumption: **A Efficiency Class**
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Start and end cooking setting for delayed cooking thanks to **touch-screen** electronic timer
Big selection of **9 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
103 lt oven cavity
Double internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat




CLOSE UP




For combinations, pls check end of catalogue

BO243YK/L 90cm ITALIA





Fan-assisted GAS oven with gas grill
Oven height 60cm
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
End cooking programming thanks to electronic timer with 3 buttons
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Gas oven burner can operate in **fan-assisted** or **static mode**
Comfortable and safe side racks for wire shelves and baking trays
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
100 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Double internal light
Turnspit
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit




BO243YG/L 90cm ITALIA





GAS oven with gas grill
Oven height 60cm
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
100 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Double internal light
Turnspit
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit


Available without turnspit: **BO243YH/L**



BO243YI/L 90cm ITALIA




GAS oven with electric grill
Oven height 60cm
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
100 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven burner to cut-off gas supply in case of flame extinguishing
Double internal light
Turnspit
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit



BO247YH/L 90cm ITALIA




GAS oven with gas grill
Oven height 60cm
Elegant **BLACK** aesthetics
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
100 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Double internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit



BO243XT/E


90cm | ITALIA





Multifunction ELECTRIC oven with 9 functions
Oven height 48cm
Low energy consumption: **A Efficiency Class**
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Start and end cooking setting for delayed cooking thanks to 6 buttons electronic timer
Big selection of **9 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
75 lt oven cavity
Double internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat

Available with 5 programmes and end of cooking timer
BO243XV/E



CLOSE UP




For combinations,
pls check end of catalogue

BO243EH/E 60cm SKYLINE





Multifunction ELECTRIC oven with 11 functions and electronic control
Low energy consumption: **A Efficiency Class**
Elegant **STAINLESS STEEL** aesthetics with **DARK GLASS** visible only with light inside
Special mark-free stainless steel treatment of the control panel
Ultimate **touch-screen** electronic controls with 3 displays for temperature, time and programmes
Start and end cooking timer for delayed cooking
Big selection of **11 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
BOOSTER function for quick heating-up, 180°C reached in only 8 minutes
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
End of cooking buzzer
Residual heat indicator when baking is over
Childlock function with 4 seconds simple pressing of ON/OFF button
Comfortable and safe side racks for wire shelves and baking trays
Cold oven door thanks to **triple glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 2 wire shelves and 1 enamelled baking tray to be used to cook or to collect spillage fat



CLOSE UP




For combinations, pls check end of catalogue

BO2430G/E 60cm SKYLINE




Multifunction ELECTRIC oven with 8 functions
Low energy consumption: **A Efficiency Class**
Elegant **STAINLESS STEEL** aesthetics with **DARK GLASS** visible only with light inside
Special mark-free stainless steel treatment of the control panel
Start and end cooking setting for delayed cooking thanks to **touch-screen** electronic timer
Big selection of **8 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Cold oven door thanks to **triple glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 2 wire shelves and 1 enamelled baking tray to be used to cook or to collect spillage fat



BO2430H/E 60cm SKYLINE




Multifunction ELECTRIC oven with 8 functions
Low energy consumption: **A Efficiency Class**
Elegant **STAINLESS STEEL** aesthetics with **DARK GLASS** visible only with light inside
Special mark-free stainless steel treatment of the control panel
End-of-cooking programming thanks to cut-off timer
Big selection of **8 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Cold oven door thanks to **triple glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 2 wire shelves and 1 enamelled baking tray to be used to cook or to collect spillage fat




BO243JG/L

60cm | ITALIA





Fan-assisted GAS oven with gas grill
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
End cooking programming thanks to electronic timer with 3 buttons
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Gas oven burner can operate in **fan-assisted** or **static mode**
Comfortable and safe side racks for wire shelves and baking trays
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Internal light
Turnspit
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit



CLOSE UP



For combinations, pls check end of catalogue


BO243JE/L

60cm | ITALIA





Fan-assisted GAS oven with gas grill
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Gas oven burner can operate in **fan-assisted** or **static mode**
Embossed inner side cavity
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Internal light
Turnspit
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit




BO243JC/L 60cm ITALIA



GAS oven with gas grill
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Embossed inner side cavity
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Internal light
Turnspit
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit


Available without turnspit **BO243JD/L**



BO240JD/L 60cm ITALIA




GAS oven with gas grill
Elegant **WHITE** aesthetics
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Embossed inner side cavity
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit



BO243JF/L | 60cm | ITALIA




GAS oven with electric grill
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Embossed inner side cavity
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Internal light
Turnspit
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit



BO247GE/L | 60cm | ITALIA



GAS oven with electric grill
Elegant **BLACK** aesthetics
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Embossed inner side cavity
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit




BO243ZY/E

60cm | ITALIA



Multifunction ELECTRIC oven with 6 functions
Low energy consumption: **A Efficiency Class**
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Minute minder to set the minutes of cooking
Selection of **6 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Cold oven door thanks to **triple glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 2 wire shelves and 1 enamelled baking tray to be used to cook or to collect spillage fat



CLOSE UP




For combinations, pls check end of catalogue

BO240SL/E 60cm ITALIA




Multifunction ELECTRIC oven with 6 functions
Low energy consumption: **A Efficiency Class**
Elegant **STAINLESS STEEL** aesthetics with **WHITE GLASS**
End-of-cooking programming thanks to cut-off timer
Selection of **6 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Cold oven door thanks to **triple glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 2 wire shelves and 1 enamelled baking tray to be used to cook or to collect spillage fat



BO247SL/E 60cm ITALIA



Multifunction ELECTRIC oven with 6 functions
Low energy consumption: **A Efficiency Class**
Elegant **STAINLESS STEEL** aesthetics with **BLACK GLASS**
End-of-cooking programming thanks to cut-off timer
Selection of **6 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Cold oven door thanks to **triple glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 2 wire shelves and 1 enamelled baking tray to be used to cook or to collect spillage fat




BO243ZW/E 60cm ITALIA



Static ELECTRIC oven with 4 FUNCTIONS
Low energy consumption: **A Efficiency Class**
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Minute minder to set the minutes of cooking
Selection of **4 cooking programmes** for different needs
Wide temperature setting up to 250°
Embossed inner side cavity
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat





For combinations,
pls check end of catalogue


B0243MW/E 60cm MICROWAVE





Microwave oven with **grill** function
Large oven capacity **25 litres**
Elegant **STAINLESS STEEL** aesthetics with **GLASS**
Push -button door
Electronic control operation
Main control button, red backlit
LED full programmer with red display
Big selection of **8 cooking programmes** for different needs: microwave cooking, grill, combined microwave and grill, defrosting by weight, defrosting by time, automatic reheat, auto cooking programme, multi-cooking function
5 microwave power levels for all different programmes
Maximum microwave power 900W, maximum grill power 1000W
End of cooking buzzer
Childlock function
Easiness of cleaning thanks to the **STAINLESS STEEL** cavity
Internal light
Big crystal turning table, diameter 31.5cm
Standard accessory for any kind of installation: **stainless steel oven frame** 595x400x388 mm (WxDxH)

Available in **Black colour**



CLOSE UP




BO242WA/E 60cm RETRÒ





Multifunction ELECTRIC oven with 8 functions
Low energy consumption: **A Efficiency Class**
RETRÒ TURQUOISE enamelled aesthetics
End-of-cooking programming thanks to **analogic timer**
Big selection of **8 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Cold oven door thanks to **triple glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 2 wire shelves and 1 enamelled baking tray to be used to cook or to collect spillage fat



CLOSE UP




For combinations, pls check end of catalogue

BO245WA/E 60cm RETRÒ




Multifunction ELECTRIC oven with 8 functions
Low energy consumption: **A Efficiency Class**
RETRÒ GREY PLATINUM enamelled aesthetics
End-of-cooking programming thanks to **analogic timer**
Big selection of **8 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Cold oven door thanks to **triple glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 2 wire shelves and 1 enamelled baking tray to be used to cook or to collect spillage fat



BO246WA/E 60cm RETRÒ




Multifunction ELECTRIC oven with 8 functions
Low energy consumption: **A Efficiency Class**
RETRÒ CREAM enamelled aesthetics
End-of-cooking programming thanks to **analogic timer**
Big selection of **8 cooking programmes** for different needs: from conventional to fan-assisted, from special pizza function to grilling and defrosting
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Comfortable and safe side racks for wire shelves and baking trays
Cold oven door thanks to **triple glass oven door**
Easiness of cleaning thanks to inner removable door glass and elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 2 wire shelves and 1 enamelled baking tray to be used to cook or to collect spillage fat




BO246JB/L 60cm RUSTICO



GAS oven with gas grill
CREAM enamelled aesthetics
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Embossed inner side cavity
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit




CLOSE UP




For combinations, pls check end of catalogue

BO247JB/L 60cm RUSTICO




GAS oven with gas grill
ANTHRACITE enamelled aesthetics
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Embossed inner side cavity
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit




BO249JB/L 60cm RUSTICO



GAS oven with gas grill
COPPER enamelled aesthetics
Minute minder to set the minutes of cooking
Wide temperature setting up to 250° so to bake cakes at low temperature or meat and pizza at high temperature
Embossed inner side cavity
Well-isolated door thanks to **double glass oven door**
Easiness of cleaning thanks to elegant **easy-to-clean** enamelled cavity
54 lt oven cavity
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on oven and grill burners to cut-off gas supply in case of flame extinguishing
Internal light
Suitable for any kind of kitchen furniture thanks to the external tangential cooling fan
Accessories: 1 wire shelf and 1 enamelled baking tray to be used to cook or to collect spillage fat
LPG preset
Natural gas conversion kit




Built in hob











HOT TOMATO SAUCE



A real classic of the Italian cuisine: use fresh cherry tomatoes, extra virgin olive oil, fresh chili pepper, garlic, salt and some leaves of fresh basil. The heat of our hobs will do the rest.

The cooking hob is for sure the element in the kitchen which tells more about the culinary culture of a country. Depending on the type of food to be prepared, the energy source available, the cooking methods, the cooking tools chosen, the traditions innate in each culture, we can surely state that almost every country has got its favourite cooking hob.

So is in Italy where 92% of sales are gas hobs and we easily understand the reason why: the Italian cuisine needs different cooking types which only the flexible flame adjustment allows: from quickly stir-frying onion in the pan, then immediately followed by a low-heat cooking of the same sauce or meat, to fast heating-up of soup to the boiling point to then let it simmer four hours long at a minimal flame. That's how big chefs of Italian cuisine work and that's the reason why Bompani offers a very wide range of gas hobs, in order to meet everybody's taste or need for specific colours and dimensions.

But we didn't lose sight of the latest state-of-the-art technology and market trends. Therefore we also offer a versatile range of induction hobs, the ultimate innovation in terms of cooking methods. Here thanks to a magnetic field, it's the saucepan to become hot, not the hob. The efficiency is very high: almost 90% of the absorbed energy is transformed into heat. And this happens in a very short time: just 8 minutes are enough to make 2 litres water boiling.

And then again traditional electric hobs, modular domino hobs to combine different cooking methods and a Teppan Yaki plate, to be inspired by the healthiest Japanese cooking tradition.


Now it's you who have to decide.



BO293MQ/N 90cm SKYLINE Filo



GAS HOB - SEMIFLUSH INSTALLATION
Versatile **STAINLESS STEEL** aesthetics
Width **90cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
5 burners: 1 powerful triple ring burner for fast heating-up, 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit




BO213NB/N 60cm SKYLINE *Filo*



GAS HOB - SEMIFLUSH INSTALLATION
Versatile **STAINLESS STEEL** aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 powerful triple ring burner for fast heating-up, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit


Available with rapid burner instead of triple ring and LPG preset
BO213NA/L



BO267RC/E 38cm SKYLINE




SKYLINE TEPPAN YAKI
Elegant **STAINLESS STEEL** and **GLASS** aesthetics
Width 38cm
STAINLESS STEEL Teppan Yaki hob with ceramic frame, ideal to cook and grill fatless as per ancient Japanese tradition
Front controls
1 single cooking zone with maxim power of 2500W
9 power levels for different cooking levels:
1-2 to keeping cooked food warm
2-4 to steam fruit e.g. sliced apple, peach, banana
5 to gentle stir fry chopped/sliced vegetables e.g. zucchini, carrots, eggplants
6 to cook delicate fish
7 to cook in succession meat, fish, fried eggs
9 to roast potato pancakes, prawns, cobs
Residual heat indicator



BO342BA/E 38cm SKYLINE




SKYLINE INDUCTION BRIDGE
Elegant **BLACK CERAMIC** aesthetics
Width 38cm
Touch-screen user-friendly front controls with sliders
2 induction zones:
2 square cooking zones 2100W reaching 3700W during the special BOOSTER function
Special **BRIDGE function** on both zones: it can be operated when both zones are on and allows to use the full cooking surface of the hob with any kind of pot
9 power levels for any kind of cooking level, from simmering to the most intense one
Cooking end timer function
BOOSTER function for quick heating-up
Automatic pot detection function, the zone starts to heat up only when pot is detected to touch the hob surface
Childlock function by simple pressing of KEY button
3 preset heating levels at 42° / 70° / 94°C can be selected
Pause function for a maximum time of 10 minutes in case of overheating
Automatic stop of cooking zone **when a certain preset time is reached**, different depending on power level (from 1.5 hours max at level 6 or up, to 6 hours max at level 1 and 2). To prevent mistakes or forgetfulness
Residual heat indicator on induction zone
Function warm keeping



BO341WA/E 40cm SKYLINE




SKYLINE INDUCTION WOK
Elegant **BLACK CERAMIC** aesthetics
Width **40cm**
Touch-screen user-friendly front controls
1 round cooking zone for **wok** with 30cm diameter, 2400W reaching 3000W during the special BOOSTER function
9 power levels for any kind of cooking level, from simmering to the most intense one
Cooking end timer function
BOOSTER function for quick heating-up
Childlock function by simple pressing of KEY button



BO267SC/N 38cm SKYLINE




GAS HOB - SKYLINE CRYSTAL
Elegant **BLACK TEMPERED GLASS** aesthetics
Width **38cm**
Heavy-duty cast iron single pan supports
Front controls to enjoy a wider cooking surface
2 burners: 1 rapid burner for high-heat cooking, 1 semi-rapid for intense and long-lasting cooking
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit



BO293MG/N 90cm ITALIA



GAS HOB
Versatile **STAINLESS STEEL** aesthetics
Width **90cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
5 burners: 1 powerful triple ring burner for fast heating-up, 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit




BO293MN/L 90cm ITALIA Diva



GAS HOB
Versatile **STAINLESS STEEL** aesthetics
Width **90cm**
Heavy-duty cast-iron pan supports
Side controls to enjoy a deeper cooking surface
5 burners: 1 powerful triple ring burner for fast heating-up, 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
LPG preset
Natural gas conversion kit

Available with enamelled pan supports
BO293MU/L




BO293GJ/L 90cm ITALIA Diva



GAS HOB
Versatile **STAINLESS STEEL** aesthetics
Width **90cm**
Glossy black enamelled pan supports
Side controls to enjoy a deeper cooking surface
4 burners: 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
2 cooking zones with electric solid plates:
1 front RAPID one with 2000 W power, size Ø 180 for a quick heating-up
1 rear RAPID one with 1500W power, size Ø 145 for simmering
LPG preset
Natural gas conversion kit


Available without flame failure device
BO293GI/L



BO213MC/N 60cm ITALIA



GAS HOB
Versatile **STAINLESS STEEL** aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 powerful triple ring burner for fast heating-up, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit




BO213MB/N 60cm ITALIA



GAS HOB
Versatile **STAINLESS STEEL** aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit

Available with enamelled pan supports and LPG preset:
BO213MA/L




BO213LE/L 60cm ITALIA Diva



GAS HOB
Versatile **STAINLESS STEEL** aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Side controls to enjoy a deeper cooking surface
4 burners: 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
LPG preset
Natural gas conversion kit


Available with enamelled pan supports, natural gas preset and LPG conversion kit:
BO213LA/N



BO253JD/E 60cm ITALIA Diva




ELECTRIC HOB
Versatile **STAINLESS STEEL** aesthetics
Width **60cm**
Side controls to enjoy a deeper cooking surface
4 cooking zones with electric solid plates:
1 rear left RAPID with 2000 W power, size Ø 180 for a quick heating-up
1 front left and 1 rear right with 1000W power, size Ø 145 for simmering
1 front right with 1500 W power, size Ø 180 for intense and long-lasting cooking



BI213CL/N 60cm ESSENTIAL




GAS HOB
Versatile **STAINLESS STEEL** aesthetics
Width **60cm**
Glossy black enamelled pan supports
Side controls to enjoy a deeper cooking surface
4 burners: 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit




BO297VF/L 90cm SKYLINE



GAS HOB
Tempered **CRYSTAL BLACK** aesthetics
Width **90cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
5 burners: 1 powerful triple ring burner for fast heating-up, 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
LPG preset
Natural gas conversion kit




B0217VF/L 60cm SKYLINE




GAS HOB
Tempered **CRYSTAL BLACK** aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
LPG preset
Natural gas conversion kit


B0267VA/L 30cm SKYLINE




GAS HOB
Tempered **CRYSTAL BLACK** aesthetics
Width **30cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
2 burners: 1 rapid for high-heat cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
LPG preset
Natural gas conversion kit



B0237VA/L 60cm SKYLINE




GAS HOB WITH ELECTRIC PLATE
Tempered **CRYSTAL BLACK** aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
3 burners: 1 rapid for high-heat cooking, 1 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
1 rear left RAPID electric solid plate with 1500 W power, size Ø 145 for a quick heating-up
LPG preset
Natural gas conversion kit



B0212MA/N 60cm RETRÒ




GAS HOB
RETRÒ TURQUOISE enamelled aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 powerful triple ring burner for fast heating-up,
2 semi-rapid for intense
and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit



B0215MA/N 60cm RETRÒ




GAS HOB
RETRÒ PLATINUM GREY enamelled aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 powerful triple ring burner for fast heating-up, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit



B0216MB/N 60cm RETRÒ




GAS HOB
RETRÒ CREAM enamelled aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 powerful triple ring burner for fast heating-up, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit



BO296MB/N 90cm RUSTICO




GAS HOB
CREAM enamelled aesthetics
Width **90cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
5 burners: 1 powerful triple ring burner for fast heating-up, 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit



BO297MB/N 90cm RUSTICO




GAS HOB
ANTHRACITE enamelled aesthetics
Width **90cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
5 burners: 1 powerful triple ring burner for fast heating-up, 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit



BO299MB/N 90cm RUSTICO




GAS HOB
COPPER aesthetics
Width **90cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
5 burners: 1 powerful triple ring burner for fast heating-up, 1 rapid for high-heat cooking, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit



BO216MA/N 60cm RUSTICO




GAS HOB
CREAM enamelled aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 powerful triple ring burner for fast heating-up, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit



BO217MA/N 60cm RUSTICO




GAS HOB
ANTHRACITE enamelled aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 powerful triple ring burner for fast heating-up, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit




BO219MA/N 60cm RUSTICO




GAS HOB
COPPER aesthetics
Width **60cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
4 burners: 1 powerful triple ring burner for fast heating-up, 2 semi-rapid for intense and long-lasting cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit




BO395AA/E 90cm INDUCTION




INDUCTION HOB
Elegant **BLACK CERAMIC** aesthetics
Width **90cm**
Touch-screen user-friendly front controls
5 induction cooking zones:
2 power zones with 2300W power (reaching 3000W during BOOSTER function), size Ø 200 for a quick heating-up
1 central power zone with 2300W power (reaching 3000W during BOOSTER function), size Ø 250 for a quick heating-up
2 power zones with 1400W power, size Ø 160 for simmering
9 power levels for any kind of cooking level, from simmering to the most intense one
Cooking end timer function
BOOSTER function for quick heating-up
Pause / Recall function
Automatic pot detection function, the zone starts to heat up only when pot is detected to touch the hob surface
Childlock function by simple pressing of KEY button
Automatic stop of cooking zone **when a certain preset time is reached**, different depending on power level (from 1.5 hours max at level 6 or up, to 6 hours max at level 1 and 2). To prevent mistakes or forgetfulness
Overflow device
Residual heat indicator on induction zone




BO364AA/E 60cm INDUCTION




INDUCTION HOB
Elegant **BLACK CERAMIC** aesthetics
Width **60cm**
Touch-screen user-friendly front controls
4 induction cooking zones:
2 power zones with 1500W power (reaching 2000W during BOOSTER function), size Ø 210 for a quick heating-up
2 power zones with 1200W power (reaching 1600W during BOOSTER function), size Ø 145 for simmering
9 power levels for any kind of cooking level, from simmering to the most intense one
Cooking end timer function
BOOSTER function for quick heating-up
Power Management Function up to 2.8 kW, to prevent annoying power cut-off caused by overloading
Automatic pot detection function, the zone starts to heat up only when pot is detected to touch the hob surface
Childlock function by simple pressing of KEY button
Automatic stop of cooking zone **when a certain preset time is reached**, different depending on power level (from 1.5 hours max at level 6 or up, to 6 hours max at level 1 and 2). To prevent mistakes or forgetfulness
Overflow device
Residual heat indicator on induction zone




BO332AA/E 30cm INDUCTION




INDUCTION HOB
Elegant **BLACK CERAMIC** aesthetics
Width **30cm**
Touch-screen user-friendly front controls
2 induction cooking zones:
1 power zone with 1500W power (reaching 2000W during BOOSTER function), size Ø 210 for a quick heating-up
1 power zone with 1200W power (reaching 1600W during BOOSTER function), size Ø 145 for simmering
Cooking end timer function
BOOSTER function for quick heating-up
Automatic pot detection function, the zone starts to heat up only when pot is detected to touch the hob surface
Child lock function by simple pressing of KEY button
Automatic stop of cooking zone **when a certain preset time is reached**, different depending on power level (from 1.5 hours max at level 6 or up, to 6 hours max at level 1 and 2). To prevent mistakes or forgetfulness
Overflow device
Residual heat indicator on induction zone



BO283AB/E 90cm CERAMIC




ELECTRIC CERAMIC HOB
Elegant **BLACK CERAMIC** with **INOX** frame aesthetics
Width **90cm**
Front controls with knobs
5 HI-LIGHT cooking zones:
2 power zones with 1200W power, size Ø 145
1 power zone with 1800W power, size Ø 180
1 power zone with 2100W power, size Ø 230
1 round double power zone with 1100W power (reaching 2500W during **BOOSTER** function), size Ø 250 / 130 for a quick heating-up
Residual heat indicator on controls




BO273TD/E 60cm CERAMIC




ELECTRIC CERAMIC HOB
Elegant **BLACK CERAMIC** with **INOX** frame aesthetics
Touch-screen user-friendly lateral controls
4 HI-LIGHT cooking zones:
2 power zones with 1200W power, size Ø 145
2 power zones with 1800W power, size Ø 180
Child lock function
Residual heat indicator on controls




BO273AE/E 60cm CERAMIC




ELECTRIC CERAMIC HOB
Elegant **BLACK CERAMIC** with **INOX** frame aesthetics
Lateral controls with **knobs**
4 HI-LIGHT cooking zones:
2 power zones with 1200W power, size Ø 145
2 power zones with 1800W power, size Ø 180
Residual heat indicator



BO263AA/E | 30cm | CERAMIC




ELECTRIC CERAMIC HOB
Elegant **BLACK CERAMIC** frameless aesthetics
Width **30cm**
Touch-screen user-friendly **front controls**
2 HI-LIGHT cooking zones:
1 power zone with 1200W power, size Ø 145
1 power zone with 1800W power, size Ø 180
Child lock function
Residual heat indicator on controls



BO263PA/E 30cm ITALIA Diva






ELECTRIC CERAMIC HOB
Elegant **BLACK CERAMIC** with **INOX** frame aesthetics
Width **30cm**
Front controls with knobs
2 HI-LIGHT cooking zones:
1 power zone with 1200W power, size Ø 145
1 power zone with 1800W power, size Ø 180

BO267PA/E 30cm ITALIA Diva






ELECTRIC CERAMIC HOB
Elegant **BLACK CERAMIC** with **BLACK** frame aesthetics
Width **30cm**
Front controls with knobs
2 HI-LIGHT cooking zones:
1 power zone with 1200W power, size Ø 145
1 power zone with 1800W power, size Ø 180

BO263LF/N 30cm ITALIA Diva






GAS HOB
Versatile **STAINLESS STEEL** aesthetics
Width **30cm**
Heavy-duty cast-iron pan supports
Front controls to enjoy a wider cooking surface
2 burners: 1 rapid for high-heat cooking, 1 auxiliary for simmering
Electronic ignition integrated in the knob, to always have a free hand
Flame Failure Device on all burners to cut-off gas supply in case of flame extinguishing
Natural gas preset
LPG conversion kit


BO263EB/E 30cm ITALIA Diva





ELECTRIC HOB
Versatile **STAINLESS STEEL** aesthetics
Width **30cm**
Front controls to enjoy a wider cooking surface
2 cooking zones with electric solid plates:
1 rear RAPID one with 2000 W power, size Ø 180 for a quick heating-up
1 front one with 1500W power, size Ø 145 for simmering

Refrigerator











SEMIFREDDO

Choose your favourite recipe, a good trick is to use only half-whipped cream. Bompani freezers are always at four stars, thus assuring a correct food freezing.

With the Bompani range of built-in refrigerators, technology is on hand every day. And priority is nowadays to save energy.

Bompani built-in refrigerators are in A+ Energy Class which means 30% energy saving in comparison with an A Class. You immediately realize the benefit of an A+ product, if you calculate that the energy consumption for the refrigerator usually represents 25% of the overall home energy consumption.

But from a refrigerator you also expect a good food preservation.

For this reason the refrigerator is divided into different compartments, each having a different temperature and being destined to different food: the top shelves for eggs, creams and dairy products, the middle ones for prepared food, while the bottom shelf, just upon the salad crispers, which is the chilliest point of the fridge, is best to place raw meat, fish or poultry. The door bottle racks are the hottest part of the fridge and are suitable just for drinks and cans where a light refrigeration is enough.

From a reliable freezer you do expect a correct fresh food freezing. All freezers in our Bompani refrigerators have 4 stars, the highest class ensuring a quick food freezing, thus preventing ice macro crystals from forming inside food cells and damage their quality.

.... And if you want to give an extra touch of design to your kitchen, choose a colourful Free-standing refrigerator from the latest Bompani collections Retrò and Krystal.



BO06865/E

COMBI




Combined built-in refrigerator: with big fridge compartment on top and capacious freezer compartment below
Low energy consumption: **A+ Energy class** (30% energy saving against A Class)
Suitable also for hot climate: Climatic Class N (from 16 °C to 32 °C)
Reversible right- or left-hand door opening according to everyone's needs
Total gross / net volume: 235 / 226 lt
Refrigerator gross / net volume: 160 / 158 lt
Freezer gross / net volume: 75 / 68 lt

REFRIGERATOR COMPARTMENT
4 removable glass shelves, three of which height-adjustable
2 fruit and salad crispers
4 transparent bottle and can racks
1 egg rack
Automatic defrost

FREEZER COMPARTMENT
4 stars, the highest class ensuring a quick fresh food freezing and a correct preservation of frozen food
3 capaciuos drawers
1 ice cube tray
Manual defrost

Product dimensions (LxPxH): cm 54x54,5x177



mm

A	B	C	D	E
1770	720	684	934	1770-1790

BO06443/E

DOUBLE-DOOR




Double door built-in refrigerator: with eye-level freezer compartment and capacious fridge compartment below
Low energy consumption: **A+ Energy class** (30% energy saving against A Class)
Suitable also for hot climate: Climatic Class N (from 16 °C to 32 °C)
Reversible right- or left-hand door opening according to everyone's needs
Total gross / net volume: 217 / 214 lt
Refrigerator gross / net volume: 179 / 176 lt
Freezer gross / net volume: 38 / 38 lt

REFRIGERATOR COMPARTMENT
4 removable glass shelves, three of which height-adjustable
2 fruit and salad crispers
4 transparent bottle and can racks
1 egg rack
Automatic defrost

FREEZER COMPARTMENT
4 stars, the highest class ensuring a quick fresh food freezing and a correct preservation of frozen food
2 shelves
1 ice cube tray
Manual defrost


Product dimensions (LxPxH): cm 54x54,5x144,5



mm

A	B	C	D	E
1445	1025	982	310	1445-1465

Washing











ECO-SUSTAINABILITY FIRST OF ALL



Passion for good cuisine means for us in Bompani to respect environment. All our products are designed to guarantee the best energy efficiency and the lowest possible impact on the environment.

The latest two big home appliances that have entered our domestic world are the dish-washer and the laundry dryer.

The dish-washer use has been opposed in many countries by the widespread habit to hand wash dishes but the benefits of its usage don't need to be proven. In addition to the fact of being time saving, its most evident feature is given by low consumption. Low water consumption, first of all: to wash crockery for a 12 guests dinner, today with the ultimate Bompani dish-washers only 10-12 litres water are enough against the 70 (!) needed to hand wash it. And low energy consumption, because saving water means also saving the energy needed to heat it up, from 40° to 70° C according to the washing programme set. In the Bompani dishwashers the lower consumption is certified by the Energy efficiency A++ and A+, thus allowing respectively a 20% and a 10% saving with respect to A Class. On the other hand our A/A Class in Washing and Drying efficiency guarantees the ultimate drying without residual water in the tank and the best washing results. The second big appliance that has become essential in our homes is the laundry dryer. Irrespective of whether you live in a wet climate or not, if you are used to clothes racks or lines to dry your clothes, if you have a big or small family, the dryer can change your domestic life, making you save a lot of time in drying, first of all, and in ironing, in the second place. You get your clothes dry, soft and ready-to-wear in a couple of hours instead of a couple of days, as it's the case in cold seasons, and you save the ironing time which in Italy, for example, means an average time of 3 hours per week with an average energy cost of about 18 € per week. The latest Bompani washer dryer model combines the highest features of an excellent dryer with those of a premium quality washing machine. With special programmes for wool, colours, jeans and sportswear. Let you revolutionise your domestic habits by giving way to these smart Bompani appliances!




BOLT146/E

60cm | FULLY-INTEGRATED



Fully integrated **60cm** dishwasher
Low energy consumption: **Energy efficiency A++** (20% less than A Class)
Excellent cleaning results with low water consumption:
A class, the ultimate washing efficiency class
Excellent drying results: **A class**, the ultimate drying efficiency class
Internal black control panel
14 place settings
3 water spray jets, two of them in rotating arms
2 capacious baskets, the upper one is height-adjustable for everyone's needs
Cutlery top shelf for different sizes and forms
Lower energy consumption thanks to Delay time function (1-24H) programming washing start during low-cost energy hours
LED display visible also in bad light conditions
Electronic Aquastop function to prevent flooding, should other preventative systems fail
6 washing programmes:
Auto(50-60°C), where electronic sensors adjust temperature, water and washing time according to heavily, medium or lightly dirty dishes; Intensive (65°C) for heavily dirty pots and dishes; Normal (50°C) for the daily wash; Rapid "1 HOUR" (60°C); "ECO" (50-60°C), where with a longer time, the same perfect washing results are achieved by a lower energy-saving temperature; Soak
Half load programme available in case of few pots and dishes
Longer average lifetime thanks to the internal water softener to avoid calcium deposits
All in one tablet detergent ready
End of washing buzzer
Low water consumption of the standard cycle: 10 lt
Noise level: 49 dbA
Product dimensions (LxPxH): cm 59.8x55x81.5




BOLT126/E

60cm | FULLY-INTEGRATED




Fully integrated **60cm** dishwasher
Low energy consumption: **Energy efficiency A+** (10% less than A Class)
Excellent cleaning results with low water consumption:
A class, the ultimate washing efficiency class
Excellent drying results: **A class**, the ultimate drying efficiency class
Internal black control panel
12 place settings
3 water spray jets, two of them in rotating arms
2 capacious baskets, the upper one is height-adjustable for everyone's needs
Cutlery basket for different sizes and shapes
Lower energy consumption thanks to Delay time function (1-24H) programming washing start during low-cost energy hours
LED display visible also in bad light conditions
Electronic Aquastop function to prevent flooding, should other preventative systems fail
8 washing programmes:
All in 1 (55°C), to use 3in1 tablet detergents, Intensive (65°C) for heavily dirty pots and dishes; Normal (55°C) for the daily wash; "ECO" (50-65°C), where with a longer time, the same perfect washing results are achieved by a lower energy-saving temperature; Glass (40°C) for lightly dirty dishes or glasses; "1 hour express" (60°C) for lightly dirty dishes which don't need excellent drying efficiency; Rapid (40°C) a shorter wash for lightly dirty dishes; Soak
Half load programme available in case of few pots and dishes
Longer average lifetime thanks to the internal water softener to avoid calcium deposits
All in one tablet detergent ready
End of washing buzzer
Low water consumption of the standard cycle: 12 lt
Noise level: 49 dbA
Product dimensions (LxPxH): cm 59.5x54x82



BOLS12S/E 60cm PARTIALLY-INTEGRATED




Partially integrated **60cm** dishwasher
Low energy consumption: **Energy efficiency A+** (10% less than A Class)
Excellent cleaning results with low water consumption:
A class, the ultimate washing efficiency class
Excellent drying results: **A class**, the ultimate drying efficiency class
Semi integrated control panel
12 place settings
3 water spray jets, two of them in rotating arms
2 capacious baskets, the upper one is height-adjustable for everyone's needs
Cutlery basket for different sizes and shapes
Lower energy consumption thanks to Delay time function (1-24H) programming washing start during low-cost energy hours
LED display visible also in bad light conditions
Electronic Aquastop function to prevent flooding, should other preventative systems fail
7 washing programmes:
All in 1 (55°C), to use 3in1 tablet detergents; Intensive (65°C) for heavily dirty pots and dishes; Normal (55°C) for the daily wash; "ECO" (50-65°C), where with a longer time, the same perfect washing results are achieved by a lower energy-saving temperature; Crystals (40°C) for lightly dirty dishes or glasses; Rapid (40°C) a shorter wash for lightly dirty dishes; Soak
Half load programme available in case of few pots and dishes
Longer average lifetime thanks to the internal water softener to avoid calcium deposits
All in one tablet detergent ready
End of washing buzzer
Low water consumption of the standard cycle: 12 lt
Noise level: 49 dbA
Product dimensions (LxPxH): cm 59.5x54x82




BO05309/E 60cm WASHER DRYER



Built-in Washer Dryer: the ideal solution, even in a small space.
To combine the high performances of a premium washing machine with the convenience of a dryer.
Fully-integrated installation
Low energy consumption **Energy Efficiency 4 STARS (ESMA)**
8 kg washing capacity
5 kg drying capacity
1300 rpm
Stainless steel drum
Simple and intuitive check of the selected programme thanks to LED lights
15 washing programmes:
Cotton 90°C, Cotton 60°C, Cotton 40°C, Jeans, Shirts, Hygienic, Wool, Hand Wash, Coloured Garments, Sportswear, Special Mix Fabric, Express 20' (35°C quick wash), Drying Cycle, Rinses Cycle, Spin Cycle
Highest washing efficiency thanks to the **Easy Logic system:** it detects the laundry weight and adjusts the selected washing programme accordingly, to allow minimum energy consumption and best washing results
No soap residues in the drum with the **Anti-foam sensor**
Special Anti-Corrosion drum coating tested for over 10,000 operating hours
Load balancing system to ensure a well-balanced rotation and improve washing quality and spin performance
Lower energy consumption thanks to the Delay Time Function (1-19 hours)
Adjustable drying time (30-250 min)
Adjustable spin speed
Liquid soap dispenser
No risk of flooding thanks to the inner Overflow System and the inlet Water Stop device
Drum self-cleaning function
Special **antibacterial treatment** of soap dispenser and porthole gasket
UK plug (BS1363)
Product dimensions (LxPxH): cm 59.5x54.5x82



Cooker Hood








FISH HOME BARBECUE



Every season is good to taste grilled fish. Use fresh fish, extra virgin olive oil, garlic, salt, pepper and a sprinkling of lemon and aromatic herbs. Our cooker hoods will eliminate smoke and bad smells.

Change of scene (and air) in the kitchen! Here is our range of Bompani cooker hoods that thanks to their excellent performances effectively eliminate smells, smoke and vapours.

If you think that our simplest model can extract till 270 cubic meters air and is therefore enough for a 9 square meter kitchen, you can easily understand the action power of our best performing models reaching an extraction capacity up to 850 cubic meter of air! To better calculate the most appropriate capacity for your kitchen, just multiply 10 times your room volume.

Cooker hoods are also an important light spot on the cooking hob and the LED lighting of our Retrò cooker hoods combine an excellent enlightenment of cooking operations with the lowest energy consumption, nowadays a priority in our life.


Today cooker hoods have mainly become a décor element in our homes. Its choice depends on the colours and materials of our kitchen. And with the Bompani cooker hoods the selection available is really big: from the modern design hoods in **STAINLESS STEEL** and black crystal ones to the red and cream Retrò, not to mention the Rustico hoods in their colours oatmeal, anthracite, copper and cream. Match them with the other products of our Retrò and Rustico lines, such as hobs, ovens and refrigerators. Because we love style in our kitchen!



BOCR904/T 90cm RETRÒ



Design wall chimney hood
TURQUOISE colour
Width **90**cm
Special painting body treatment, common also to aviation products to guarantee a high quality standard of colour and time endurance
1 powerful motor with an absorption level of **850 m³/h**
Use-friendly **Touch controls**
4 speeds for any need
LED lighting for low energy consumption
Pressure: 540 Pa
3 aluminium grease filters
Acustic emission level: 58 dBA
Product dimensions (LxPxH): cm 90x50x77



BOCR904/G 90cm RETRÒ



Design wall chimney hood
GREY PLATINUM colour
Width **90cm**
Special painting body treatment, common also to aviation products to guarantee a high quality standard of colour and time endurance
1 powerful motor with an absorption level of **850 m³/h**
Use-friendly **Touch controls**
4 speeds for any need
LED lighting for low energy consumption
Pressure: 540 Pa
3 aluminium grease filters
Acustic emission level: 58 dBA
Product dimensions (LxPxH): cm 90x50x77

BOCR904/C 90cm RETRÒ




Design wall chimney hood
CREAM colour
Width **90cm**
Special painting body treatment, common also to aviation products to guarantee a high quality standard of colour and time endurance
1 powerful motor with an absorption level of **850 m³/h**
Use-friendly **Touch controls**
4 speeds for any need
LED lighting for low energy consumption
Pressure: 540 Pa
3 aluminium grease filters
Acustic emission level: 58 dBA
Product dimensions (LxPxH): cm 90x50x77

BOCR904/R 90cm RETRÒ




Design wall chimney hood
RED colour
Width **90cm**
Special painting body treatment, common also to aviation products to guarantee a high quality standard of colour and time endurance
1 powerful motor with an absorption level of **850 m³/h**
Use-friendly **Touch controls**
4 speeds for any need
LED lighting for low energy consumption
Pressure: 540 Pa
3 aluminium grease filters
Acustic emission level: 58 dBA
Product dimensions (LxPxH): cm 90x50x77



BOCP426/E 90cm RUSTICO




Design wall chimney hood
CREAM colour
Width **90cm**
Solid **STAINLESS STEEL** body
1 motor with an absorption level of **580 m³/h**
Traditional **push-buttons controls**
3 speeds for any need
LED lighting for low energy consumption
Pressure: 270 Pa
3 aluminium grease filters
1 carbon filter
Acustic emission level: 45-67 dBA
Product dimensions (LxPxH): cm 90x46xmin80,4max124,4



BOCP427/E 90cm RUSTICO




Design wall chimney hood
ANTHRACITE colour
Width **90cm**
Solid **STAINLESS STEEL** body
1 motor with an absorption level of **580 m³/h**
Traditional **push-buttons controls**
3 speeds for any need
LED lighting for low energy consumption
Pressure: 270 Pa
3 aluminium grease filters
1 carbon filter
Acustic emission level: 45-67 dBA
Product dimensions (LxPxH): cm 90x46xmin80,4max124,4



BOCP429/E 90cm RUSTICO




Design wall chimney hood
COPPER colour
Width **90cm**
Solid **STAINLESS STEEL** body
1 motor with an absorption level of **580 m³/h**
Traditional **push-buttons controls**
3 speeds for any need
LED lighting for low energy consumption
Pressure: 270 Pa
3 aluminium grease filters
1 carbon filter
Acustic emission level: 45-67 dBA
Product dimensions (LxPxH): cm 90x46xmin80,4max124,4



BOCP743/E 90cm DIVA



Decorative wall chimney hood
STAINLESS STEEL aesthetics
Width **90cm**
Solid **STAINLESS STEEL** body
1 motor with an absorption level of **400 m³/h**
Slider controls
3 speeds for any need
2 x 20W halogen lights
Pressure: 234 Pa
3 aluminium grease filters
1 carbon filter
Acustic emission level: 61 dBA
Product dimensions (LxPxH): cm 90x49,2xmin75max109,5




BOCP793/E


60cm | DIVA




Decorative wall chimney hood
STAINLESS STEEL aesthetics
Width **60cm**
Solid **STAINLESS STEEL** body
1 motor with an absorption level of **400 m³/h**
Slider controls
3 speeds for any need
2 x 20W halogen lights
Pressure: 234 Pa
3 aluminium grease filters
1 carbon filter
Acustic emission level: 61 dBA
Product dimensions (LxPxH): cm 60x49,2xmin75max109,5



BOCP783/E 90cm SLIDE-OUT




Slide-out hood
SILVER aesthetics
Width **90cm**
1 motor with an absorption level of **400 m³/h**
Slider controls
3 speeds for any need
2 x 20W halogen lights
Pressure: 221 Pa
4 aluminium grease filters
2 carbon filters
Acustic emission level: 60 dBA
Product dimensions (LxPxH): cm 90x29,8x17,5



BOCP763/E 60cm SLIDE-OUT



Slide-out hood
SILVER aesthetics
Width **60cm**
1 motor with an absorption level of **400 m³/h**
Slider controls
3 speeds for any need
2 x 20W halogen lights
Pressure: 221 Pa
4 aluminium grease filters
2 carbon filters
Acustic emission level: 60 dBA
Product dimensions (LxPxH): cm 60x29,8x17,5




BOCP333/E 90cm ESSENTIAL



Free standing hood
STAINLESS STEEL body
Width **90cm**
2 motors with an absorption level of **268 m³/h**
Slider controls
3 speeds for any need
2 x 28W halogen lights
Pressure: 210 Pa
2 aluminium grease filters
2 carbon filters
Acustic emission level: 68 dBA
Product dimensions (LxPxH): cm 90x50,5x15

Available in Black colour: **BOCP331/E**
Available in White colour: **BOCP330/E**



BOCP303/E 60cm ESSENTIAL




Free standing hood
STAINLESS STEEL body
Width **60cm**
2 motors with an absorption level of **268 m³/h**
Slider controls
3 speeds for any need
2 x 28W halogen lights
Pressure: 210 Pa
2 aluminium grease filters
2 carbon filters
Acustic emission level: 68 dBA
Product dimensions (LxPxH): cm 60x50,5x15

Available in Black colour: **BOCP301/E**

BOCP233/E 60cm ESSENTIAL

Free standing hood
STAINLESS STEEL body
Width **60cm**
1 motor with an absorption level of **170 m³/h**
Slider controls
3 speeds for any need
1 x 40W halogen lights
Pressure: 143 Pa
2 aluminium grease filters
1 carbon filter
Acustic emission level: 64 dBA
Product dimensions (LxPxH): cm 60x50,5x15

Available in White colour: **BOCP230/E**



TECHNICAL TABLES

CHARACTERISTICS	BO243YK/L	BO243YG/L	BO243YH/L	BO247YH/L	BO243YI/L	BO243JG/L
Type	Fan assisted gas oven	Gas oven	Gas oven	Gas oven	Gas oven	Fan assisted gas oven
Color	Inox	Inox	Inox	Black	Inox	Inox
Control panel	Inox	Inox	Inox	Painted	Inox	Inox
Controls	Knobs	Knobs	Knobs	Knobs	Knobs	Knobs
3 buttons electronic timer	x					x
Mechanical timer		x	x	x	x	
Oven volume (lt)	100	100	100	100	100	54
Thermostat	x	x	x	x	x	x
Cooling fan	x	x	x	x	x	x
Oven door glasses	2	2	2	2	2	2
Internal light	x	x	x	x	x	x
Oven grid	1	1	1	1	1	1
Enamelled tray	1	1	1	1	1	1
Internal enamel	Black	Black	Black	Black	Black	Black

TECHNICAL SPECIFICATIONS						
Gas burner (W)	3400	3400	3400	3400	3400	2500
Grill burner (W)	2800	2800	2800	2800		2200
Electric grill (W)					1800	
Internal ventilation	x					x
Max oven temperature (°C)	250	250	250	250	250	250
Voltage and frequency	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz
Operation light	x	x	x	x	x	x
Thermostat light					x	
Turnspit	x	x			x	x

PRODUCT DIMENSIONS						
Width (mm)	895	895	895	895	895	594
Depth (mm)	551	551	551	551	551	556
Height (mm)	594	594	594	594	594	594

PACKED DIMENSIONS						
Width (mm)	945	945	945	945	945	670
Depth (mm)	651	651	651	651	651	670
Height (mm)	651	651	651	651	651	670

WEIGHTS						
Net weight (kg)	53	53	53	53	53	30
Gross weight (kg)	58	58	58	58	58	33

BO243JE/L	BO243JC/L	BO243JD/L	BO240JD/L	BO243JF/L	BO247GE/L	BO247JB/L	BO249JB/L	BO246JB/L
Fan assisted gas oven	Gas oven	Gas oven	Gas oven	Gas oven	Gas oven	Gas oven	Gas oven	Gas oven
Inox	Inox	Inox	White	Inox	Black	Anthracite	Copper	Cream
Inox	Inox	Inox	Painted	Inox	Painted	Enamelled	Enamelled	Enamelled
Knobs	Knobs	Knobs	Knobs	Knobs	Knobs	Knobs	Knobs	Knobs
x	x	x	x	x	x	x	x	x
54	54	54	54	54	54	54	54	54
x	x	x	x	x	x	x	x	x
x	x	x	x	x	x	x	x	x
2	2	2	2	2	2	2	2	2
x	x	x	x	x	x	x	x	x
1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1
Black	Black	Black	Black	Black	Black	Black	Black	Black
2500	2500	2500	2500	2500	2500	2500	2500	2500
2200	2200	2200	2200			2200	2200	2200
				1200	1200			
x								
250	250	250	250	250	250	250	250	250
220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz
x	x	x	x	x	x	x	x	x
				x	x			
x	x			x				
594	594	594	594	594	594	594	594	594
556	556	556	556	556	556	556	556	556
594	594	594	594	594	594	594	594	594
670	670	670	670	670	670	670	670	670
670	670	670	670	670	670	670	670	670
670	670	670	670	670	670	670	670	670
30	30	30	30	30	30	30	30	30
33	33	33	33	33	33	33	33	33

TECHNICAL TABLES

CHARACTERISTICS	BO243XU/E	BO243XT/E	BO243XV/E	BO243EH/E	BO243OG/E
Type	Multifunction	Multifunction	Multifunction	Electronic	Multifunction
Color	Inox	Inox	Inox	Inox	Inox
Control panel	Inox	Inox	Inox	Inox + Glass	Inox + Glass
Controls	Knobs	Knobs	Knobs	Touch control	Knobs
Touch control digital programmer	x			x	x
6 buttons electronic programmer		x			
Mechanical end of cooking			x		
Analogic programmer					
Mechanical timer					
Oven volume (lt)	103	75	75	54	54
Thermostat	x	x	x	x	x
Cooling fan	x	x	x	x	x
Oven door glasses	2	2	2	3	3
Internal light	x	x	x	x	x
Oven grid	1	1	1	2	2
Enamelled tray	1	1	1	1	1
Internal enamel	Black	Black	Black	Black	Black

TECHNICAL SPECIFICATIONS					
Number of oven functions	9	9	5	11	8
Bottom element (W)	1300	1300	1300	1100	1500
Upper elemet (W)	1100	1100	1100	1100	700
Circular element (W)	2300	2300		2000	2000
Grill (W)	1750	1750	1750	1500	2000
Internal ventilation	Yes	Yes	Yes	Yes	Yes
Max oven temperature (°C)	250	250	250	250	250
Voltage and frequency	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz
Operation light	x	x	x	x	x
Thermostat light	x	x	x	x	x

PRODUCT DIMENSIONS					
Width (mm)	895	893	893	596	596
Depth (mm)	551	538	538	535	535
Height (mm)	594	477	477	598	598

PACKED DIMENSIONS					
Width (mm)	945	970	970	640	640
Depth (mm)	651	670	670	640	640
Height (mm)	651	560	560	650	650

WEIGHTS					
Net weight (kg)	53	52	52	30	30
Gross weight (kg)	58	57	57	33	33

BO243OH/E	BO243ZY/E	BO240SL/E	BO247SL/E	BO243ZW/E	BO242WA/E	BO245WA/E	BO246WA/E
Multifunction	Multifunction	Multifunction	Multifunction	Static	Multifunction	Multifunction	Multifunction
Inox	Inox	White	Black	Inox	Turquoise	Platinum Grey	Cream
Inox + Glass	Inox	Glass	Glass	Inox	Enamelled	Enamelled	Enamelled
Knobs	Knobs	Knobs	Knobs	Knobs	Knobs	Knobs	Knobs
x							
					x	x	x
	x	x	x	x			
54	54	54	54	54	54	54	54
x	x	x	x	x	x	x	x
x	x	x	x	x	x	x	x
3	3	3	3	2	3	3	3
x	x	x	x	x	x	x	x
2	2	2	2	1	2	2	2
1	1	1	1	1	1	1	1
Black	Black	Black	Black	Black	Black	Black	Black
8	6	6	6	4	8	8	8
1500	1500	1500	1500	1500	1500	1500	1500
700	700	700	700	700	700	700	700
2000					2000	2000	2000
2000	2000	2000	2000	2000	2000	2000	2000
Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
250	250	250	250	250	250	250	250
220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz
x	x	x	x	x	x	x	x
x	x	x	x	x	x	x	x
596	596	596	596	595	596	596	596
535	535	535	535	497	535	535	535
598	598	598	598	595	598	598	598
640	640	640	640	660	640	640	640
640	640	640	640	580	640	640	640
650	650	650	650	660	650	650	650
30	29	29	29	28	32	32	32
33	32	32	32	31	35	35	35

TECHNICAL TABLES

CHARACTERISTICS	BO293MQ/N	BO213NB/N	BO213NA/L	BO267SC/N	BO293MG/N	BO213MC/N	BO213MB/N	BO213MA/L	BO293MN/L	BO293MU/L	BO293GJ/L	BO293GI/L	BO213LE/L
Colour	INOX	INOX	INOX	Black vitroceramic	INOX	INOX	INOX	INOX	INOX	INOX	INOX	INOX	INOX
Controls position	Front	Front	Front	Front	Front	Front	Front	Front	Side	Side	Side	Side	Side
Electronic ignition under knob	x	x	x	x	x	x	x	x	x	x	x	x	x
Flame failure device	x	x	x	x	x	x	x	x	x	x	x		x
Grids	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Enamelled	Cast iron	Enamelled	Enamelled	Enamelled	Cast iron
TECHNICAL SPECIFICATIONS													
Auxiliary burner (kW)	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW		1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW
Semi rapid burner (kW)	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	1 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,65 kW
Rapid burner (kW)	1 x 3,0 kW		1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW		1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 2,8 kW
Triple crown burner (kW)	1 x 3,8 kW	1 x 3,8 kW			1 x 3,8 kW	1 x 3,8 kW			1 x 3,8 kW	1 x 3,8 kW			
Electric rapid solid plates ϕ180											1 x 2,0 kW	1 x 2,0 kW	
Electric rapid solid plates ϕ145											1 x 1,5 kW	1 x 1,5 kW	
LPG conversion kit	x	x		x	x	x	x						
Natural gas conversion kit			x					x	x	x	x	x	x
CE	x	x	x	x	x	x	x	x	x	x	x	x	x
PRODUCT DIMENSIONS													
Width (mm)	890	600	600	380	860	600	600	600	860	860	860	860	580
Depth (mm)	510	510	510	520	510	510	510	510	510	510	510	510	500
Height (mm)	50	40	40	55	40	40	40	40	45	45	45	45	40
PACKED DIMENSIONS													
Width (mm)	940	650	650	555	910	650	650	650	910	910	910	910	650
Depth (mm)	580	570	570	440	550	580	580	580	590	590	590	590	580
Height (mm)	120	125	125	150	140	125	125	125	130	130	130	130	125
PACKED DIMENSIONS													
Net weight (kg)	14	9	9	6,6	17	9	9	8	16	15	15	15	9
Gross weight (kg)	15	10	10	7,2	18	10	10	9	17	16	16	16	10

BO213LA/N	BI213CL/N	BO297VF/L	BO217VF/L	BO237VA/L	BO267VA/L	BO297MB/N	BO299MB/N	BO296MB/N	BO217MA/N	BO219MA/N	BO216MA/N	BO212MA/N	BO215MA/N	BO216MB/N	BO263LF/N
INOX	INOX	Black crystal	Black crystal	Black crystal	Black crystal	Anthracite enamelled	Copper enamelled	Cream enamelled	Anthracite enamelled	Copper enamelled	Cream enamelled	Turquoise enamelled	Platinum Grey enamelled	Cream enamelled	INOX
Side	Side	Front	Front	Front	Front	Front	Front	Front	Front	Front	Front	Front	Front	Front	Front
x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Enamelled	Enamelled	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron	Cast iron
1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW	1 x 1,0 kW
2 x 1,65 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	1 x 1,75 kW		2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	2 x 1,75 kW	
1 x 2,8 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW	1 x 3,0 kW							1 x 2,8 kW
		1 x 3,5 kW				1 x 3,8 kW	1 x 3,8 kW	1 x 3,8 kW	1 x 3,8 kW	1 x 3,8 kW	1 x 3,8 kW	1 x 3,8 kW	1 x 3,8 kW	1 x 3,8 kW	
				1 x 1,5 kW											
x	x					x	x	x	x	x	x	x	x	x	x
		x	x	x	x										
x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
580	580	900	600	600	290	860	860	860	600	600	600	600	600	600	287
500	510	510	510	510	510	510	510	510	510	510	510	510	510	510	510
40	50	55	55	55	55	40	40	40	40	40	40	40	40	40	50
650	670	940	650	650	340	910	910	910	650	650	650	650	650	650	340
580	560	580	580	580	550	550	550	550	580	580	580	580	580	580	550
125	130	130	130	130	150	140	140	140	125	125	125	125	125	125	150
8	8	14	9	9	5	17	17	17	9	9	9	9	9	9	5
9	9	15	10	10	6	18	18	18	10	10	10	10	10	10	6

TECHNICAL TABLES

CHARACTERISTICS	BO267RC/E	BO342BA/E	BO341WA/E	BO395AA/E	BO364AA/E	BO332AA/E
Colour	Black vitroceramic + INOX	Black vitroceramic	Black vitroceramic	Black vitroceramic	Black vitroceramic	Black vitroceramic
Controls type	Knobs	Touch	Touch	Touch	Touch	Touch
Controls position	Front	Front	Front	Front	Front	Front
Security system on / off		x	x	x	x	x
Residual heat indicator	1	2	1	4	4	2
Key lock		x	x	x	x	x
Induction zones		2	1	5	4	2
Electric plates						
Hi light zones						

TECHNICAL SPECIFICATIONS

Teppan Yaki plate	1 x 2500W					
Induction zone ϕ 145mm					2 x 1200W (1600W)	1 x 1200W (1600W)
Induction zone ϕ 160mm				2 x 1400W		
Induction zone ϕ 200mm				2 x 2300W (3000W)		
Induction zone ϕ 210mm					2 x 1500W (2000W)	1 x 1500W (2000W)
Induction zone ϕ 250mm				1 x 2300W (3000W)		
Squared induction zone		2 x 2100W (3700W)				
Wok induction zone ϕ 300mm			1 x 2400W (3000W)			
Rapid electric plate ϕ 180mm						
Normal electric plate ϕ 180mm						
Normal electric plate ϕ 145mm						
Hi light zone ϕ 145						
Hi light zone ϕ 180						
Hi light zone ϕ 230						
Hi light double zone ϕ 250/130						
Voltage and frequency	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz

PRODUCT DIMENSIONS

Width (mm)	380	380	400	900	580	290
Depth (mm)	520	520	520	510	510	510
Height (mm)	65	60	130	51	51	51

PACKED DIMENSIONS

Width (mm)	575	600	580	960	680	380
Depth (mm)	440	480	465	580	580	590
Height (mm)	125	110	175	140	140	140

WEIGHTS

Net weight (kg)	16,3	5,4	9,8	16	12	3
Gross weight (kg)	17	6	11	18	13,3	4

BO253JD/E	BO283AB/E	BO273TD/E	BO273AE/E	BO263AA/E	BO263PA/E	BO267PA/E	BO263EB/E
INOX	Black vitroceramic + INOX	Black vitroceramic + INOX	Black vitroceramic + INOX	Black vitroceramic	Black vitroceramic + INOX	Black vitroceramic + painted steel	INOX
Knobs	Knobs	Touch	Knobs	Touch	Knobs	Knobs	Knobs
Side	Front	Side	Side	Front	Front	Front	Side
	5	4	4	2			
		x		x			
4							2
	5	4	4	2	2	2	
1 x 2000W							1 x 2000W
1 x 1500W							
2 x 1000W							1 x 1000W
	2 x 1200W	2 x 1200W	2 x 1200W	1 x 1200W	1 x 1200W	1 x 1200W	
	1 x 1800W	2 x 1800W	2 x 1800W	1 x 1800W	1 x 1800W	1 x 1800W	
	1 x 2100W						
	1 x 1100W (2500W)						
220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz
580	865	575	575	288	287	287	287
500	505	505	505	490	510	510	510
55	51	55	55	50	50	50	50
670	920	630	630	360	340	340	340
560	560	560	560	590	550	550	550
130	120	120	120	120	130	130	150
11	13	9	9	5	6	6	6
12	14	10	10	6	7	7	7

TECHNICAL TABLES

CHARACTERISTICS	BOCR904/R	BOCR904/C	BOCR904/T	BOCR904/G	BOCP427/E	BOCP429/E	BOCP426/E	BOCP743/E
Width	900	900	900	900	900	900	900	900
Number of motors	1	1	1	1	1	1	1	1
Maximun capacity m^3/h	850	850	850	850	580	580	580	400
Colour	Red	Cream	Turquoise	Grey Platinum	Anthracite	Copper	Cream	INOX
Light Number	Multipoint 4W	Multipoint 4W	Multipoint 4W	Multipoint 4W	2x2W	2x2W	2x2W	2x40W
Light Type	Led	Led	Led	Led	Led	Led	Led	Halogen
Pressure (Pa)	540	540	540	540	270	270	270	234
CE	x	x	x	x	x	x	x	x
USER INTERFACE								
Number of switches	1	1	1	1	1	1	1	1
Type of switches	Touch	Touch	Touch	Touch	Push-button	Push-button	Push-button	Slider
Number of speed	4	4	4	4	3	3	3	3
ACCESSORIES								
Type of filter	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Number of filter	3	3	3	3	3	3	3	3
Carbon filter					1	1	1	1
PERFORMANCE								
Energy consumption	250W	250W	250W	250W	120W	120W	120W	150W
Noise Emission	58dbA	58dbA	58dbA	58dbA	45-67dbA	45-67dbA	45-67dbA	61dbA
Voltage (V) / Frequency (Hz)	230V - 50Hz	230V - 50Hz	230V - 50Hz	230V - 50Hz	230V - 50Hz	230V - 50Hz	230V - 50Hz	220-240V - 50Hz
PRODUCT DIMENSIONS								
Width (mm)	900	900	900	900	900	900	900	900
Depth (mm)	500	500	500	500	460	460	460	492
Height (mm)	min770 max1090	min770 max1090	min770 max1090	min770 max1090	min804 max1244	min804 max1244	min804 max1244	min750 max1095
PACKED DIMENSIONS								
Width (mm)	1060	1060	1060	1060	970	970	970	979
Depth (mm)	395	395	395	395	380	380	380	373
Height (mm)	600	600	600	600	610	610	610	575
WEIGHTS								
Net weight (kg)	8	8	8	8	8	8	8	7,6
Gross weight (kg)	11	11	11	11	11	11	11	10

BOCP793/E	BOCP783/E	BOCP763/E	BOCP333/E	BOCP331/E	BOCP330/E	BOCP303/E	BOCP301/E	BOCP233/E	BOCP230/E
600	900	600	900	900	900	600	600	600	600
1	1	1	2	2	2	2	2	1	1
400	303	303	268	268	268	268	268	170	170
INOX	Silver	Silver	INOX	Black	White	INOX	Black	INOX	White
2x40W	2x28W	2x28W	2x28W	2x28W	2x28W	2x28W	2x28W	2x40W	2x40W
Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Bulb	Bulb
234	221	221	210	210	210	210	210	143	143
x	x	x	x	x	x	x	x	x	x
1	1	1	1	1	1	1	1	1	1
Slider	Slider	Slider	Slider	Slider	Slider	Slider	Slider	Slider	Slider
3	3	3	3	3	3	3	3	3	3
Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
2	4	2	2	2	2	2	2	2	2
1	2	2	2	2	2	2	2	2	2
150W	220W	220W	220W	220W	220W	220W	220W	120W	120W
61dbA	60dbA	60dbA	68dbA	68dbA	68dbA	68dbA	68dbA	64dbA	64dbA
220-240V - 50Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50Hz	220-240V - 50Hz	220-240V - 50Hz	220-240V - 50Hz	220-240V - 50Hz	220-240V - 50Hz	220-240V - 50Hz
600	898	598	900	900	900	600	600	600	600
492	min298 max430	min298 max430	505	505	505	505	505	505	505
min750 max1095	175	175	150	150	150	150	150	150	150
679	690	990	943	943	943	643	643	643	643
373	252	252	555	555	555	555	555	555	555
575	381	381	191	191	191	191	191	191	191
9,2	8,5	7	6	6	6	6	6	5	5
12,3	10	8	7	7	7	7	7	6	6

TECHNICAL TABLES

MICROWAVE

CHARACTERISTICS	BO243MW/E
Type	Combigrill
Color	Inox
Volume	25 lt
User interface	Push buttons
Turntable dish	ϕ 315mm
Oven cavity	Inox
Power levels	5
Knobs	1
Timer	x
Internal light	x

FUNCTIONS

Microwave	x
Grill	x
Microwave + gill	x
Defrost / weight	x
Defrost / time	x
Auto reheat	x
Quickstart	x
Child lock	x
Buzzer	x

TECHNICAL SPECIFICATIONS

Microwave power 100%	900W
Microwave power 80%	720W
Microwave power 50%	450W
Microwave power 30%	270W
Microwave power 10%	90W
Grill power	1000W
Voltage and frequency	230V - 50Hz
Operating frequency (MHz)	2450 MHz

PRODUCT DIMENSIONS

Width (mm)	595
Depth (mm)	400
Height (mm)	388

PACKED DIMENSIONS

Width (mm)	655
Depth (mm)	536
Height (mm)	530

WEIGHTS

Net weight (kg)	19
Gross weight (kg)	23,5

REFRIGERATORS

CHARACTERISTICS	BO06865/E	BO06443/E
Type	Combi	Double door
Operation	Static	Static
Total gross volume (lt)	235	217
Total Net Volume (lt)	226	214
Net fridge volume (lt)	158	176
Net freezer volume (lt)	68	38
Freezer stars	4	4
Climate class	N	N
Thermostat	1	1
Reversible door hinges	Sì	Sì
Compartment butter / cheese	1	1
Refrigerator defrost	Automatic	Automatic
Freezer defrost	Manual	Manual
Adjustable feet	no	no
Glass shelves	3+1	3+1
Bottle holder	1	1
Eggs container	1	1
Crispers drawers	2	2
Ice tray	1	1
Freezer compartments	3	2

TECHNICAL SPECIFICATIONS

Voltage and frequency	220-240V - 50Hz	220-240V - 50Hz
Energy consumption (kW/24H)	0,704	0,653
Freezing capacity (kg/24H)	5	2
Storage in case of power failure (hrs)	19	16
Number of compressors	1	1
Energy class	A+	A+
Noise Level (dBA)	41	42

PRODUCT DIMENSIONS

Width (mm)	540	540
Depth (mm)	545	545
Height (mm)	1770	1445

PACKED DIMENSIONS

Width (mm)	610	664
Depth (mm)	620	668
Height (mm)	1830	1780

WEIGHTS

Net weight (kg)	56	45
Gross weight (kg)	62	48

DISHWASHERS

CHARACTERISTICS	BOLT146/E	BOLT126/E	BOLS12S/E
Category	60cm fully integrated	60cm fully integrated	60cm partially integrated
Panel design	Integrated	Integrated	Semi Integrated
Panel design	Dropdown	Dropdown	Dropdown
Place settings	14	12	12
Number of programs	6	8	7
Control type	Electronic	Electronic	Electronic
Tablet detergent ready	x	x	x
CE	x	x	x
PROGRAMS			
All in 1		x	x
Intensive	x	x	x
Normal	x	x	x
Eco	x	x	x
Crystals		x	x
1 hour	x	x	
Rapid		x	x
Soak	x	x	x
Auto	x		
USER INTERFACE			
Program selection button	x	x	x
Start / Pause	x	x	x
Half load	Alternative Wash	Upper basket	Upper basket
Delay time	1-24	1-24	1-24
Rinse-aid indicator	x	x	x
Salt indicator	x	x	x
Washing cycle indicators	x	x	x
Buzzer	x	x	x
BASKETS AND ACCESSORIES			
Adjustable upper basket when unloaded	x	x	x
Baskets colour	Grey	Grey	Grey
Adjustable mug shelves	2	2	2
Removable cutlery basket		x	x
Modular cutlery shelf	x		
Adjustable mugshelves	x	x	x
Support of stem glasses on the upper basket	x	x	x
Aquastop system	Electronic	Mechanical	Mechanical
PERFORMANCE			
Noise level	49 dbA	49 dbA	49 dbA
Energy efficiency	A++	A+	A+
Washing efficiency	A	A	A
Drying efficiency	A	A	A
Water consumption of the standard cycle	10 lt	12 lt	12 lt
Annual water consumption	2800 lt	3360 lt	3360 lt
Standard program	ECO	ECO	ECO
Standard program duration	175 min	165 min	165 min
Annual energy consumption	266 kWh	291 kWh	291 kWh
Energy consumption of the standard cycle	0,93 kWh	1,02 kWh	1,02 kWh
Power	1760-2100W	1930W	1930W
Voltage and frequency	220-240V - 50Hz	220-240V - 50Hz	220-240V - 50Hz
PRODUCT DIMENSIONS			
Width (mm)	598	595	595
Depth (mm)	550	540	540
Height (mm)	815	820	820
PACKED DIMENSIONS			
Width (mm)	640	620	640
Depth (mm)	650	620	650
Height (mm)	870	880	900
PACKED DIMENSIONS			
Net weight (kg)	39	39	39
Gross weight (kg)	45	45	45

WASHER DRYER

CHARACTERISTICS	BO05309/E
Category	60cm fully integrated
Panel design	Integrated
Washing capacity	8 kg
Drying capacity	5 kg
Maximum spin speed	1300
Number of washing programs	15
Control type	Electronic
ESMA energy efficiency	4 STARS
WASHING PROGRAMS	
Cotton (90°-60°-40°)	x
Jeans	x
Shirts	x
Hygienic	x
Wool	x
Hand Wash	x
Coloured Garments	x
Sportwear	x
Special Mix Fabric	x
Express 20' (35° quick wash)	x
Dryng Cycle	x
Rinses Cycle	x
Spin Cycle	x
USER INTERFACE	
Delay start (number of hours selectable)	1 - 19 h
Drying time - from to	30 - 250 min
Adjustable Spin Speed (from 0 to 1300)	x
Start / Pause	x
Prewash	x
Turbo	x
Extra rinse	x
Tub disinfection function	x
PRODUCT FEATURES	
Variable loading with Easy Logic system	x
Ecoball	x
Self-cleaning pump	x
Liquid soap dispenser	x
Load balancing system	x
Anti-Corrosion Coating	x
Overflow system	x
Anti-foam system	x
Blackout protection	x
Over voltage protection	x
Over temperature safety	x
Tub in Ecocarbon / Stainless steel drum	x
PERFORMANCE	
Wash and Drying Cycle Energy Consumption (kWh/year) *	1165
Wash and Drying Cycle Water Consumption (L/year) *	19500
Maximun Input (W)	2100
Voltage (V)	220-240
Frequency (Hz)	50
Plug	BS1363
Adjustable Feet	x
PRODUCT DIMENSIONS	
Width (mm)	595
Depth (mm)	545
Height (mm)	820
PACKED DIMENSIONS	
Width (mm)	655
Depth (mm)	570
Height (mm)	880
WEIGHTS	
Net weight (kg)	72,5
Gross weight (kg)	74,1

ACCESSORIES


Refractory Pizza Stone


Air griddle


Extraction guides


Cast iron griddle


Cast iron wok stand


Black enamelled wok stand


Grill pan & handle set


Glass baking tray

ICONS

- A Energy Efficiency Class
- Light
- Bottom element
- Upper element
- Bottom heating elements + fan
- Upper and bottom heating elements
- Upper and bottom heating elements + fan
- Defrost
- Ring element + fan
- Grill
- Double grill
- Grill + fan
- Double grill + fan
- Pizza function
- Microwave + grill
- Microwave
- Defrost by weight
- Defrost by time
- Automatic cooking programs
- Auto reheat
- Double glazed door
- Triple glazed door
- Electronic digital programmer
- Analogic programmer
- Electronic timer 3 buttons
- Oven gas burner + fan + turnspit
- Oven gas burner + fan
- Oven gas burner + turnspit
- Double grill + turnspit
- Double grill + fan + turnspit
- Gas grill + fan + turnspit
- Gas grill + fan
- Gas grill + turnspit
- Oven gas burner
- Gas grill
- Big cavity

BOMPANI RECOMMENDS

RECOMMENDS

OVEN	BUILT-IN HOB	COOKER HOOD
RUSTICO	RUSTICO	RUSTICO
RETRÒ	RETRÒ	RETRÒ
SKYLINE	SKYLINE SKYLINE *Filo* SKYLINE	DIVA
ITALIA	ITALIA ITALIA *Diva*	ESSENTIAL SLIDE-OUT
SKYLINE	INDUCTION/CERAMIC	

Cod. 0003765/I

Bompani

Fox spa di R. Bompani & C.
via Emilia Est 1465 - 41122 Modena - Italia
Tel. ++39 059 415411 - Fax ++39 059 284731
www.bompani.it